

# K-BUS



## 注意事项



3、不要使用湿布或具挥发性的试剂擦拭设备；



图 1 安全警告标识

[illegible]

KNX

KNX

KNX

PC

KNX

k

DC

! Type-C

k

2

1

1

KNX

k

C

USB3.0

USB

KNX

KNX

k

KNX

USB

k

k

ETS

(

ETS5

KNX

KNX

k

KNX

APDU

240

k

HID

USB


k


“cEMI”

k

|        |        |                           |       |
|--------|--------|---------------------------|-------|
|        | DC     | 9~24V DC                  |       |
|        | Type-C | 5V DC                     |       |
| KNX    | 1      | 24~26V DC                 |       |
|        | 1      | 24~26V DC                 |       |
|        | DC     | 300mA                     |       |
|        | Type-C | 100mA                     |       |
|        | DC     | 24V                       | 300mA |
|        | Type-C | <300mA                    |       |
| Type-C | USB2.0 |                           |       |
| KNX    |        | ( / )                     |       |
|        | /      |                           |       |
|        | DC     | (DC-005 5.5-2.1mm)/Type-C |       |
|        | A      | USB2.0                    |       |
|        | USB    | 3m                        |       |
| DC     | LED    |                           |       |
| Type-C | LED    |                           |       |
| KNX    | LED    | PC                        |       |
|        |        | PC                        |       |
|        |        | KNX                       |       |
|        |        | KNX                       |       |
|        |        | KNX                       |       |
| Type-C | LED    |                           |       |

|                   |     |
|-------------------|-----|
| ON                | OFF |
|                   |     |
| – 5 °C ... 45 °C  |     |
| – 25 °C ... 55 °C |     |
| – 25 °C ... 70 °C |     |
| <93%              |     |
| 54 × 91 × 26 mm   |     |
| 0.15kg            |     |
|                   |     |





F DC

3 KNX

LED

F DC

LED

W

4 Type-C

LED

W

4 Type-C

/KNX

4 KNX

3 Type-C

LED




KNX

Type-C

KNX

ETS



:



4.1 ETS5

--

1



Close

4.1 ETS6

--

2

KNX

4.1

KNX

KNX

LED

k

KNX

DC

LED

Type-C

LED

k

DC

24V

300mA

DC

k