



.

C40

V1.0

CHTF-ZB40



1

2

3

4

5

6

1.		1
2.		2
2.1.		2
2.2.		2
2.3.		

1.

. C40

, ;

- App 12
- App
- Zigbee Zigbee
- 3 3
-

2.

2.1.

① 8Ω 1W

② 3

>10cm


③ N:

④ L:220V


⑤ L1 L2 L3 3

2.3.

	AK3760E ARM9 800MHz
RAM&ROM	64M RAM & 128M flash
	100~240V 5W.
	4" IPS ,480*480
TOUCH PANEL	G+G
	Zigbee WiFi
	3
	Max 2200W()
	0 ~40 5%~90%RH
	186g



3.3.


	
	
	
< > / < >	

3.4.

2

3

3.4.1.



2



3

①

C40

APP

②

③




④

⑤

3.4.2.



4



4

(1)




/

(2)

(3)

(4)

(5)



5

- (1)  /
- (2) PM2.5 PM10
- (3) \ \ \ ,
- (4)



6

- (1)  /
- (2)
- (3)
- (4)



7

(1)



(2)




/

(3)




(4)





8

- (1) \
- (2)  \
- (3)  \



9

(1) 3

(2) /

(3) 



10

(1)



/

(2)

3.5.

5

C40

APP



11



12

•

12

•

•

3.6.

APP→

13

→

→

→

14



13 3

14 3


13 14



3.7.

15

3.7.1.



15

3.7.2.



16

3.7.3.



17

- (1)
- (2)
- (3)

0-100
0-100

3.7.4.



18




18

(1)

3.7.5.



19



19

(1)

(2)

(3)

1


2

5

3.7.6.

→

20



20

(1)


(2)

(3)

3.7.7.

→

21



21

6

(1)


(2)

(3)

3.7.8.



22



22

(1)

(2)

3.7.1.

→

23



23

(1)

IP

MAC

IP

MAC

(2)

APP

(3)

→

→

→

(4)

→

→

→

<

APP>

<

>

(5)

→

→

→

①

APP




APP

②

APP

APP

4.

① ②	 L: 220V N: L1 L2 L3:
③ 86	
④	

*

5.

	G9
	GU10

