



H

10.1

H-OS14

_V1.0

1.1

1.2

2.1

2.2

2.3

3.1

3.2

3.3

4.1

4.2

4.3

4.4

4.4.1

4.4.2 PC

4.4.3

5.1

5.2

5.3

6.1

6.2

6.3

6.4

6.5

6.6

6.7

7.1

7.2

7.3

7.4

7.5

7.6

7.7

7.8

1.1

- 10.1 IPS
- IC
- LED
-
- IPX4
- /
- 12V / 800mA > 18V
- 99% 1

1.2


Android 6.0.1 CPU A64 4 1.5GHz
1GB DDR3 8GB eMMC TF 128GB
10000

DC 24V ≤ 300mA
≤ 400mA 800mA -40 +70
320mA


CMOS 200W
123 ° 3.5mm
0 lux

IPS 10.1 "
1280 × 800


2.1



2.2



2.3



DC 24V



DC 18-30V

+12V


>18V

+12V


3.1



(2)




3.2




1.6

3.3




800mA

•



•



4.1

0101

*

30

1 99 + 1 9 + 011+0107

4.2



4.3

1.

2.

3.

+ +

* + # + + + #

→

4.

1)



2



→





4.4

PC


4.4.1

“#”






4.4.2 PC



4.4.3



“ # ”

“ * ”


5.1



5.2

“ # ”


“ * ”



“ 801801 ”

5.3

“ # ”



“ ## ”



6.1

“ # ”

“ * ”

“ # ”



6.2

“ # ”

“ * ”


“ ## ”



6.3

“ # ”

“ # ”



6.4


“ # ”

“ * ”

“ # ”





6.5



“ * ”

“ * ”






●

“ ” “ ” “ # ”

“ ★ ”

●

“ . ” “ # ”





●

IC IC IC


6.6



6.7



“ ## ”



7.1

“ # ”



PC



7.2

“ ● ”

“ # ”


“#”

1-99

1-9

1- 10

1-32



7.3





“ # ”

“ ★ ”



“ # ”

“ ★ ”






7.4




7.5

“ # ”

“ * ”



7.6



7.7



7.8

